

2-Day Introduction to Agent-Based Modelling

Day 2: Session 7

Social Science, Different Purposes and Changing Networks



Different purposes for an ABM

- A lot of confusion occurs because there are many different uses for an ABM, e.g.
 - To **predict** something unknown from what is known (such as predicting final election results)
 - To **explain** some effect in terms of some other, more basic/more micro, processes
 - To **illustrate** an idea of how something might happen – an analogy in computer form
 - As a **counter example** to how people assume things must work
 - As an **exploration** of possibilities that one might not have thought of/imagined otherwise
- Unfortunately authors often do not clearly state which they are intending with a model, indeed they often seem to conflate them! 😞


Network Change Model

- Agents connect to each other and change their links
- Some agents freely give to those they are linked with (at a small cost to themselves), the rest do not at start only 10% are givers, and all linked randomly
- After that all agents follow same rules (apart from giving/not giving)
- But after a while the system self-organises to avoid non-givers and givers predominate

Behavioural Rules


- *Givers cause their neighbours to receive units of value at random*
- With a probability (**prob-compare**) an agent picks another at random. If its value (from gifts) is less than the one picked it imitates its strategy (giving/not), kills links and links to it
- With a probability (prob-rand-reset) kill all links and link to a random agent
- If it has too many links, drop one at random
- If it has too few link to someone agent is linked to (so called “friend of a friend”)
- With a probability (**prob-change**) swap colours

Network Change Model Display



Network Change Model Display


Load and play with simulation
“7-network change.nlogo”



Network Change Model Display

Load and play with simulation
“7-network change.nlogo”

Givers shown as **green**,
non-givers as **red**




Network Change Model Display

Load and play with simulation
“7-network change.nlogo”

Givers shown as green,
non-givers as red

Agents with “happy” face
have gained a value
above average, those
“sad” with a value below




Network Change Model Display

Load and play with simulation
“7-network change.nlogo”

Givers shown as **green**,
non-givers as **red**

Agents with “happy” face
have gained a value
above average, those
“sad” with a value below

Note how system has self-organised
so that givers tend
to cluster together



Questions!

- Given that there are no rules that obviously favour givers (indeed it costs them to give), why do givers eventually predominate?
- What experiments could you make to the code to try and discover what makes this happen? Try “commenting out” rules and see what happens.
- What does this simulation demonstrate (if anything)?
- How might you prove the effect in a paper?

Collecting Statistics

- From menu: **File >> Export >>**
 - **Export View**: saves the view of the world as a **picture** for use statistics
 - **Export Plot**: saves the data from a plot as a **“.csv” file** for use in plotting/analysis programs
 - **Export Output**: saves **text** in output area to a text file (if there is a log of text there from “show” statements in the code)
- For multiple runs, maybe with different parameters, with data automatically appended to a **“.csv” file**, use **Tools >> BehaviourSpace** (read about this in manual first)

The End

2-Day Introduction to Agent-Based Modelling

<http://cfpm.org/simulationcourse>

