Modelling and Evolution of Social Trends in Virtual Environments

María-Isabel Sánchez-Segura, Ricardo Imbert, Angélica de Antonio, Javier Segovia[1]

Virtual Environments Research Group

Computer Science School

Technical University of Madrid

Spain

E-mail: María-Isabel Sánchez-Segura - maribel@gordini.ls.fi.upm.es

Ricardo Imbert - ricardo@gordini.ls.fi.upm.es

Angélica de Antonio - angelica@fi.upm.es

Javier Segovia - fsegovia@fi.upm.es

Telephone: (+34) 1 336 73 68

Abstract: Collective virtual places are growing very quick. These places have appeared as a result of the people living in the nets, who demand more easy and believable ways for interacting within these new sites. We think it is necessary to study which is the order that rules Virtual Societies, which emerge as a result of the arrival and interaction of the Virtual Inhabitants in a Virtual World. Our aim is to define these societies and how people living in the bosom of this ones can interact, express, etc., and at the same time how the society gets feedback from their inhabitants and evolves.

Key Words: *Virtual Society, Social behaviour, Intelligent Society, Virtual Worlds, Agents, Social Trends.*

1. INTRODUCTION

When people started to use computer networks to communicate with others in the distance, it was not expected that this phenomenon could move people to the degree of calling them to *"live"* into the nets.

People like to be connected through environments like CHATS, MUDS, etc.. These are examples of systems where the idea is not interacting with the system through its interface but interacting with people placed in other points of the net through the system's interface. Now there are groups which are joined across the distance with the aim of "interacting", groups formed by people born within different environments, but now joined in another one in which they form a new society called "virtual society", where they can develop a new and different lifestyle.

Human reality is profoundly social, so if virtual reality places are worthwhile places to visit and work in, then the central challenge of VR technology is to support ***social interaction*** in multi-user virtual environments [ROCK95].

Howard Rheingold [RHEI93], in his book *The virtual community,* defined: "***The Net*** is an informal term for the loosely interconnected computer networks that use CMC (Computer-Mediated Communication), technology to link people around the world into public discussions."

SAB'98. *Workshop in Socially Situated Intelligence*
This work has been partially funded by the European Union, under the Amusement Project (ESPRIT IV), number 25197.

"Virtual communities are social aggregations that emerge from the Net when enough people carry on those public discussions long enough, with sufficient human feeling, to form webs of personal relationships in cyberspace."

"Cyberspace, originally a term from William Gibson's science-fiction novel *Neuromancer*, is the name some people use for the conceptual space where words, human relationships, data, wealth, and power are manifested by people using CMC technology."

"Each of the small colonies of microorganisms--the communities on the Net--is a social experiment that nobody planned but that is happening nevertheless." [RHEI93]

We agree with these definitions although we will refer to the Rheingold´s "*Virtual communities*" as "*Virtual Societies*", but the essence is the same. Using computers to simulate naturally occurring societies, is a rapidly growing area of research [GILB94]. The study of aspects such as social behaviour, social simulation and interaction in virtual societies is growing. We emphasise on studying virtual communities or *Virtual Societies* on-line to find out if real-time computer mediated communication (in this case any network-based virtual environment), is able to give birth to, a *Virtual Society*. If this Virtual Society is able to emerge, then we are interest in developing a model which will represent a Virtual Society with its Social Trends, Collective memory, etc.

Today's virtual societies, however, are not just formed by people communicating to each other, but also we find a set of autonomous agents that can help visitors or just move around, to give a feeling of an inhabited world. A lot of work has been done in order to embed some intelligence into these agents, but they are still lacking some attributes to make them social entities.

Our aim is not to contribute to the sociological study of virtual societies but to define a computational model of the social trends and evolution of the Virtual Society, in a way that can be used to populate the society with autonomous intelligent and social agents, that get feedback from real users in order to select and evolve their social behaviour.

2. RELATED WORK: Brief History

The first MUD (Multi-User Dungeon), originally refereed to a particular game, not an entire class of them, was created and written by *Roy Trubshaw and Richard Bartle,* at Essex University in Britain. Roy's reasons for writing MUD were twofold: to make a Multiplayer adventure game and to write an interpreter for database definition language.

In 1989 *Jim Aspnes* at CMU began the development of a new MUD system which became TinyMUD. Two features of TinyMUD are particularly interesting historically for us. The first is that Aspnes created a system which could be played over the Internet. The second particularly notable feature was that Aspnes made a conscious effort to discart from his system the whole notion of combat, points and treasure which were at the heart of the earlier systems. Instead, the focus of worlds built with TinyMUD was conversation and creation. TinyMUD itself and is derivative system formed a new branch of MUDs generally referred to as ***"social MUDs"*** [DOUR98]

Until now typological classification of MUDs has primarily been carried out using a single discrimination criterion, which separated MUDs into two groups, **"social-oriented"** and "combat-oriented", these distinction served only to separate TinyMUD and its derivatives from all other MUDs.[KEEG]

In [BART96], Richard Bartle makes an interesting classification of the people who use MUDs, considering the following abstract graph:



Because our work focus on integrating technology and social sciences, we will see only how Bartle defines Socialisers. Socialisers are interested in *INTERACTING with other PLAYERS*, what usually means talking, but it can extend to more exotic behaviours. Finding out about people and getting to know them is far more worthy than treating them as fodder to be bossed around. Socialisers are proud of their friendships, their contact and their influence.

Bartle, uses four kind of players to define the role of people living in MUDs, but does not define the idea of society or community. Players are seen individually and only Socialisers and some times Explorers interact with each other. He does not define semantic frameworks involved in socialising Cyberspace.

As MUDs are typically textual environments and the technology grows, it is needed newer and richer ways for interacting.

At the same time MUDs were evolving, other kind of net environments were evolving too, which were called, generically,*"virtual environments"*. Since 1985, when Lucasfilm created the first networked virtual world called Habitat, dozens of similar Internet-based systems have emerged. Some of them have added 3D visualisation, sound support, building capabilities, avatar creation capability, etc., with the aim of making them more attractive and friendly for users.

WorldChat [DAME98] from World Inc., was the first one which incorporated 3D graphics. **On Live** [DAME98] was the first one which included voice communication and implemented lip-synchronisation, but it does not implement avatar gestures.

Another example is **The CyberCafe** [ROUS97], where the concept of "synthetic actors" is introduced. These actors are able to improvise their behaviour in an interactive environment and they own a repertoire of actions which are automatically planned to achieve each activity. They even reflect aspects of personality traits and mood. **Bodychat** [VILH97], also tries to automate the communicative behaviour in avatars. Here the concept of "Intention" is introduced. Intentions are described as:

"*Set of control parameters that are sent from the user's Client to all Clients, where they are used to produce the appropriate behaviour in the user's Shadow avatars." [VILH97]*

Improv [PERL96], offers an environment where an avatar can generate motions in real-time, but however, the conversation between avatars is not addressed. **Advanced OZ** [DAME98], implements gestures (called motions), taking advantage of this natural and intuitive communication mode.

The ***SICS Distributed Interactive Virtual Environment (DIVE)***[2] is an experimental platform for the development of virtual environments, user interfaces and applications based on shared 3D synthetic environments. Dive is especially tuned to multi-user applications, where several networked participants interact over Internet. DIVE applications and activities include virtual battlefields, spatial models of interaction, virtual agents, real-world robot control and multi-modal interaction. There are many projects based in DIVE, like the ***WAVE project***, which is known as the Wide Area Virtual Environment, is concentrating on lightweight multicast groups, reliable multicast and flexible consistency mechanisms and not in social sciences.

Systems mentioned above, centre its attention in technology and not in socialising the net. We think there is a gap between technology and social sciences in the networks.

The ***Virtual Society (VS)*** project [LEA96], is a long research initiative that is investigating how future electronic society will evolve. Their goal is to explore the capabilities of existing technology to support social spaces. The Virtual Society project is designed to realise the dreamlike vision through the latest digital and networking technology. The goal is a seamless community between real society and electronic society, another kind of community, a virtual society that's fun, fast and free. They have a system called *CommunityPlace (CP)* which has elements of CSCW (Computer Supported Co-operative Work). They focus on the development of a simplistic architecture which enables share 3D worlds but not focus on social sciences.

This system differs from the DIVE based work in that Community Place has been designed from the outset to work in a wide area, low bandwidth environment. The Community Place architecture is a hybrid

[2] available at: ***http://www.sics.se/dive/dive.html***

peer-to-peer and client-server architecture. The Community Place browser is designed to use low cost PC machines and uses the VRML graphics standard. This project focus on the development of Client Protocols for Interaction.

MASSIVE (version 1) [3] is always and only a teleconferencing system and an example implementation of the spatial model of interaction - its not a general-purpose VR application development environment. There are several projects in which MASSIVE has been used. Some examples are:

Comic project: is a three year basic research action (1992 -> 1995) to investigate techniques and develop tools for real-world large scale CSCW application developers. It draws together both Computer Science and Social Science fields in order to try and understand the process of group communication more fully. It aims to examine and overcome the practical and theoretical problems limiting effective CSCW product development at that moment.

The Inhabit project: will examine a VR conferencing system (MASSIVE). Meetings will be held within MASSIVE between the different sites involved in the project, and we aim to evaluate both the networking and usability requirements through a series of experiments.

All these projects study interaction, not based in social sciences but in physical mechanisms for interacting.

In ***"ColonyCity"[4],*** they have defined a society with its own structure both social and political. All people living in this society have their own task to reach.



ERROR: ioerror
OFFENDING COMMAND: image

STACK: